INDEX TO AUTHORS

ACKERMANN, W. WILBUR, and MAASSAB, HUNEIN F. Growth characteristics of influenza virus: the influence of a sulfonic acid, 105

AISENBERG, ALAN C. See HEIDELBERGER, AISENBERG, and HASSID, 343

ALEXANDER, HATTIE E., LEIDY, GRACE, and HAHN, EROS. Studies on the nature of *Haemophilus influenzae* cells susceptible to heritable changes by desoxyribonucleic acids, 505

BADER, JOHN P. See MORGAN, 451

BALE, WILLIAM F. See MILLER and BALE, 125

—. See MILLER, BLY, and BALE, 133

BLY, C. G. See MILLER, BLY, and BALE, 133

BROWN, LENORA V. See CASALS and BROWN, 429

CASALS, JORDI, and BROWN, LENORA V. Hemagglutination with arthropod-borne viruses, 429

CHEROT, FRANCIS J. See KRETCHMER and CHEROT, 637

COBURN, ALVIN F., and HANINGER, JOAN. The serum diphenylamine (DPA) reaction in experimental arthritis, 1

COLLING, MARGARET. See HAMMOND, COLLING, COOPER, and MILLER, 411

COOK, D. L., MILLS, LOIS M., and GREEN, D. M. The mechanism of alloxan protection in experimental atherosclerosis, 119

COONS, ALBERT H. See WATSON and COONS, 419

COOPER, DOROTHY B. See HAMMOND, COLLING, COOPER, and MILLER, 411

DALLDORF, GILBERT, and GIFFORD, REBECCA. Susceptibility of gravid mice to Coxsackie virus infection, 21

DICKERMAN, H. W. See KRETCHMER and DICKERMAN, 629

DUBOS, RENÉ J., and HIRSCH, JAMES G. The antimycobacterial activity of a peptide preparation derived from calf thymus, 55

—. See HIRSCH and DUBOS, 65

DUFF, G. LYMAN. See GORDON, KOBERNICK, MCMILLAN, and DUFF, 371

—. See MCMILLAN, WHITESIDE, and DUFF, 261

DULBECCO, R., and VOGT, MARGUERITE. One-step growth curve of Western equine encephalomyelitis virus on chicken embryo cells grown *in vitro* and analysis of virus yields from single cells, 183

— and —. Plaque formation and isolation of pure lines with poliomyelitis viruses, 167

DZIEWIATKOWSKI, DOMINIC D. Effect of age on some aspects of sulfate metabolism in the rat, 283

EAGLE, HARRY. The binding of penicillin in relation to its cytotoxic action. I. Correlation between the penicillin sensitivity and combining activity of intact bacteria and cell-free extracts, 207

FINLAND, MAXWELL. See KASS, LUNDGREN, and FINLAND, 89

FOLKERS, KARL. See TAMM, FOLKERS, SHUNK, and HORSFALL, 227

FRANTZ, IVAN D., JR. See FREDRICKSON, LOUD, HINKELMAN, SCHNEIDER, and FRANTZ, 43

FREDRICKSON, DONALD S., LOUD, ALDEN V., HINKELMAN, BEVERLY T., SCHNEIDER, HENNY S., and FRANTZ, IVAN D., JR. The effect of ligation of the common bile duct on cholesterol synthesis in the rat, 43

GIFFORD, REBECCA. See DALLDORF and GIFFORD, 21

GORDON, DINA, KOBERNICK, SIDNEY D., MCMILLAN, GARDNER C., and DUFF, G. LYMAN. The effect of cortisone on the serum lipids and on the development of experimental cholesterol atherosclerosis in the rabbit, 371

GOTLIEB, TAMAR, and HIRST, GEORGE K. The experimental production of combination forms of virus. III. The formation of doubly antigenic particles from influenza A and B virus and a study of the ability of individual particles of X virus to yield two separate strains, 307

GREEN, D. M. See COOK, MILLS, and GREEN, 119

HAHN, EROS. See ALEXANDER, LEIDY, and HAHN, 505

HAMMOND, CAROLYN W., COLLING, MARGARET, COOPER, DOROTHY B., and MILLER, C. PHILLIP. Studies on susceptibility to infection following ionizing radiation. II. Its estimation by oral inoculation at different times post irradiation, 411

—, TOMPKINS, MARIANNE, and MILLER, C. PHILLIP. Studies on susceptibility to infection following ionizing radiation. I. The time of onset and duration of the endogenous bacteriemias in mice, 405

HANINGER, JOAN. See COBURN and HANINGER, 1

HARE, JOHN D., and MORGAN, HERBERT R. Studies on the factors essential to the initiation and maintenance of multiplication of psittacosis virus (6BC strain) in deficient cells in tissue culture, 461

HASSID, WILLIAM Z. See HEIDELBERGER, AISENBERG, and HASSID, 343

HEIDELBERGER, MICHAEL, AISENBERG, ALAN C., and HASSID, WILLIAM Z. Glycogen, an immunologically specific polysaccharide, 343

HENNESSEN, WALTER A. See SABIN, HENNESSEN, and WINSSER, 551

HINKELMAN, BEVERLY T. See FREDRICKSON, LOUD, HINKELMAN, SCHNEIDER, and FRANTZ, 43

HIRSCH, JAMES G. Mechanisms involved in the antimycobacterial activity of certain basic peptides, 79

— and DUBOS, RENÉ J. Chemical studies on a basic peptide preparation derived from calf thymus, 65

—. See DUBOS and HIRSCH, 55

HIRST, GEORGE K. See GOTLIEB and HIRST, 307

HODGE, ALAN J., HUXLEY, HUGH E., and SPIRO, DAVID. Electron microscope studies on ultrathin sections of muscle, 201

HORSFALL, FRANK L., JR. See TAMM, FOLKERS, SHUNK, and HORSFALL, 227

—. See TYRRELL and HORSFALL, 321

HORSTMANN, DOROTHY M., MCCOLLUM, ROBERT W., and MASCOLA, ANNE D. Viremia in human poliomyelitis, 355

HUXLEY, HUGH E. See HODGE, HUXLEY, and SPIRO, 201

KAHN, JOSEPH R. See SKEGGS, MARSH, KAHN, and SHUMWAY, 275

KASS, EDWARD H., LUNDGREN, MARGUERITE M., and FINLAND, MAXWELL. The effect of adrenal steroids, corticotropin, and growth hormone on resistance to experimental infections, 89

KELLNER, AARON, and ROBERTSON, THEODORE. Myocardial necrosis produced in animals by means of crystalline streptococcal proteinase, 495

— and —. Selective necrosis of cardiac and skeletal muscle induced experimentally by means of proteolytic enzyme solutions given intravenously, 387

KOBERNICK, SIDNEY D. See GORDON, KOBERNICK, MCMILLAN, and DUFF, 371

KRETCHMER, N., and CHEROT, FRANCIS J. Cellular mechanisms of protein metabolism in the nephron. V. The intracellular partition and the incorporation into protein of intravenously injected L-lysine, 637

— and DICKERMAN, H. W. Cellular mechanisms of protein metabolism in the nephron. IV. The partition of succinoxidase and cytochrome oxidase activities in the cells of the proximal convolution of the rat after intraperitoneal injection of egg white, 629

KUHNS, WILLIAM J. Immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid. IV. Differences between human precipitating and non-precipitating skin-sensitizing diphtheria antitoxin as shown by electrophoresis, 577

LEE, HOWARD H. See PUCK and LEE, 481

LEE, YIN CHEN. Cellular mechanisms of protein metabolism in the nephron. III. The histochemical characteristics of amino acid droplets, 621

LEE, YIN CHEN. See OLIVER, MACDOWELL, and LEE, 589

—. See OLIVER, MOSES, MACDOWELL, and LEE, 605

LEIDY, GRACE. See ALEXANDER, LEIDY, and HAHN, 505

LEVINE, SEYMOUR. See SAGIK, PUCK, and LEVINE, 251

LOUD, ALDEN V. See FREDRICKSON, LOUD, HINKELMAN, SCHNEIDER, and FRANTZ, 43

LUNDGREN, MARGUERITE M. See KASS, LUNDGREN, and FINLAND, 89

MAASSAB, HUNEIN F. See ACKERMANN and MAASSAB, 105

MACDOWELL, MURIEL C. See OLIVER, MACDOWELL, and LEE, 589

—. See OLIVER, MOSES, MACDOWELL, and LEE, 605

MARSH, WALTON H. See SKEGGS, MARSH, KAHN, and SHUMWAY, 275

MASCOLA, ANNE D. See HORSTMANN, MCCOLLUM, and MASCOLA, 355

MCCOLLUM, ROBERT W. See HORSTMANN, MCCOLLUM, and MASCOLA, 355

MCMILLAN, GARDNER C., WHITESIDE, J. H., and DUFF, G. LYMAN. The effect of undernutrition on cholesterol atherosclerosis in the rabbit, 261

—. See GORDON, KOBERNICK, MCMILLAN, and DUFF, 371

MILLER, C. PHILLIP. See HAMMOND, COLLING, COOPER, and MILLER, 411

—. See HAMMOND, TOMPKINS, and MILLER, 405

MILLER, LEON L., and BALE, WILLIAM F. Synthesis of all plasma protein fractions except gamma globulins by the liver. The use of zone electrophoresis and lysine-ϵ-C^{14} to define the plasma proteins

synthesized by the isolated perfused liver, 125

MILLER, LEON I., BLY, C. G., and BALE, WILLIAM F. Plasma and tissue proteins produced by non-hepatic rat organs as studied with lysine-ε-C^{14}. Gamma globulins the chief plasma protein fraction produced by non-hepatic tissues, 133

MILLS, LOIS M. See COOK, MILLS, and GREEN, 119

MORGAN, HERBERT R. Factors related to the growth of psittacosis virus (strain 6BC). IV. Certain amino acids, vitamins, and other substances, 451

—. See HARE and MORGAN, 461

MOSES, MONTROSE J. See OLIVER, MOSES, MACDOWELL, and LEE, 605

MUSCHEL, LOUIS H. See TREFFERS and MUSCHEL, 155

OLIVER, JEAN, MACDOWELL, MURIEL C., and LEE, YIN CHEN. Cellular mechanisms of protein metabolism in the nephron. I. The structural aspects of proteinuria; tubular absorption, droplet formation, and the disposal of proteins, 589

—, MOSES, MONTROSE J., MACDOWELL, MURIEL C., and LEE, YIN CHEN. Cellular mechanisms of protein metabolism in the nephron. II. The histochemical characteristics of protein absorption droplets, 605

OPIE, EUGENE L. Osmotic activity of liver cells and melting point of liver, 29

POWELL, ARNOLD. See HEIDELBERGER, AISENBERG, and HASSID, 343

PUCK, THEODORE T., and LEE, HOWARD H. Mechanism of cell wall penetration by viruses. I. An increase in host cell permeability induced by bacteriophage infection, 481

PUCK, THEODORE T., and LEE, HOWARD H. See SAGIK, PUCK, and LEVINE, 251

ROBERTSON, THEODORE. See KELLNER and ROBERTSON, 387, 495

ROTHBARD, SIDNEY. See WATSON, ROTHBARD, and VANAMEE, 535

SABIN, ALBERT B., HENNESSEN, WALTER A., and WINSSER, JOHAN. Studies on variants of poliomyelitis virus. I. Experimental segregation and properties of avirulent variants of three immunologic types, 551

SAGIK, BERNARD, PUCK, THEODORE T., and LEVINE, SEYMOUR. Quantitative aspects of the spontaneous elution of influenza virus from red cells, 251

SCHNEIDER, HENNY S. See FREDRICKSON, LOUD, HINKELMAN, SCHNEIDER, and FRANTZ, 43

SHUMWAY, NORMAN P. See SKEGGS, MARSH, KAHN, and SHUMWAY, 275

SHUNK, CLIFFORD H. See TAMM, FOLKERS, SHUNK, and HORSFALL, 227

SKEGGS, LEONARD T., JR., MARSH, WALTON H., KAHN, JOSEPH R., and SHUMWAY, NORMAN P. The existence of two forms of hypertensin, 275

SPIRO, DAVID. See HODGE, HUXLEY, and SPIRO, 201

TAMM, IGOR, FOLKERS, KARL, SHUNK, CLIFFORD H., and HORSFALL, FRANK L., JR. Inhibition of influenza virus multiplication by *N*-glycosides of benzimidazoles, 227

TOMPKINS, MARIANNE. See HAMMOND, TOMPKINS, and MILLER, 405

TREFFERS, HENRY P., and MUSCHEL, LOUIS H. The combined actions of chloramphenicol and of bactericidal antibody plus complement on *Salmonella typhosa*, 155

TYRRELL, DAVID A. J., and HORSFALL, FRANK L., JR. Disruption of influenza virus. Properties of degradation products of the virus particle, 321

VANAMEE, PARKER. See WATSON, ROTHBARD, and VANAMEE, 535

VOGT, MARGUERITE. See DULBECCO and VOGT, 167, 183

WATSON, BARBARA K., and COONS, ALBERT H. Studies of influenza virus infection in the chick embryo using fluorescent antibody, 419

WATSON, ROBERT F., ROTHBARD, SIDNEY, and VANAMEE, PARKER. The antigenicity of rat collagen, 535

WHITESIDE, J. H. See MCMILLAN, WHITESIDE, and DUFF, 261

WINSSER, JOHAN. See SABIN, HENNESSEN, and WINSSER, 551

YOUNG, G. Experimental staphylococcus infection in the hamster cheek pouch: the process of localization, 299

INDEX TO SUBJECTS

ABSORPTION droplets, protein, histochemical characteristics in nephron, 605
—, tubular, droplet formation, and disposal of proteins in proteinuria, 589
Acid, amino, droplets, histochemical characteristics in nephron, 621
—, sulfonic, influence of influenza virus on growth characteristics, 105
Acids, amino, vitamins, and other substances related to growth of psittacosis virus, 451
—, desoxyribonucleic acids, *Haemophilus influenzae* cells susceptible to heritable changes by, 505
Adrenal steroids, corticotropin, and growth hormone, effect on resistance to infections, 89
Age, effect on sulfate metabolism aspects, 283
Allergic and normal individuals hyperimmunized with diphtheria toxoid, antitoxin produced in, immunochemical studies, 577
Alloxan protection in atherosclerosis, mechanism, 119
Amine, diphenyl-, serum reaction in arthritis, 1
Amino acid droplets, histochemical characteristics in nephron, 621
— acids, vitamins, and other substances related to growth of psittacosis virus, 451
Antibody, bactericidal, plus complement, and chloramphenicol, combined actions on *Salmonella typhosa*, 155
—, fluorescent, used in studies of influenza virus infection in chick embryo, 419
Antigenic particles doubly formed from influenza A and B virus, and ability of individual particles of X virus to yield two separate strains, 307
Antigenicity of collagen, 535
Antimycobacterial activity of basic peptides, mechanisms, 79
— activity of peptide preparation derived from calf thymus, 55
Antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid, immunochemical studies, 577
Arthritis, serum diphenylamine reaction in, 1
Arthropod-borne viruses, hemagglutination with, 429
Atherosclerosis, cholesterol, effect of undernutrition on, 261
— development, cholesterol, and serum lipids, effect of cortisone on, 371
—, mechanism of alloxan protection in, 119

BACTERIA, intact, and cell-free extracts, correlation between penicillin sensitivity and combining activity, in binding of penicillin in relation to cytotoxic action, 207
Bactericidal antibody plus complement, and chloramphenicol, combined actions on *Salmonella typhosa*, 155
Bacteriemias, endogenous, time of onset and duration, susceptibility to infection following ionizing radiation, 405
Bacteriophage infection, host cell permeability induced by, cell wall penetration by viruses, 481
Benzimidazoles, *N*-glycosides, inhibi-

tion of influenza virus multiplication by, 227
Bile duct, common, effect of ligation on cholesterol synthesis, 43
Blood corpuscles, red. *See* Erythrocytes.

CARBON, radioactive lysine-ε-, plasma and tissue proteins produced by non-hepatic organs studied with, 133
—, radioactive lysine-ε-, and zone electrophoresis used to define plasma proteins synthesized by isolated perfused liver, 125
Cardiac and skeletal muscle, necrosis induced by proteolytic enzyme solutions given intravenously, 387
Cell wall penetration by viruses, host cell permeability induced by bacteriophage infection, 481
Cell-free extracts and intact bacteria, combining activity, correlation between penicillin sensitivity in binding of penicillin in relation to cytotoxic action, 207
Cells, blood, red. *See* Erythrocytes.
—, chicken embryo, grown *in vitro*, one-step growth curve of Western equine encephalomyelitis virus on, and analysis of virus yields from single cells, 183
—, deficient, in tissue culture, multiplication of psittacosis virus in, 461
—, *Haemophilus influenzae*, susceptible to heritable changes by desoxyribonucleic acids, 505
—, intracellular partition and incorporation into protein of intravenously injected L-lysine, in protein metabolism in nephron, 637
—, liver, osmotic activity, and melting point of liver, 29
— of proximal convolution of nephron, partition of succinoxidase and cytochrome oxidase activities in, after intraperitoneal injection of egg white, 629
Cellular mechanisms of protein metabolism in nephron, 589, 605, 621, 629, 637
Chemical studies on basic peptide preparation derived from calf thymus, 65
Chloramphenicol and bactericidal antibody plus complement, combined actions on *Salmonella typhosa*, 155
Cholesterol atherosclerosis development and serum lipids, effect of cortisone on, 371
— atherosclerosis, effect of undernutrition on, 261
— synthesis, effect of ligation of common bile duct on, 43
Collagen, antigenicity of, 535
Complement, chloramphenicol, and bactericidal antibody, combined actions on *Salmonella typhosa*, 155
Corticotropin, adrenal steroids, and growth hormone, effect on resistance to infections, 89
Cortisone, effect on serum lipids and development of cholesterol atherosclerosis, 371
Coxsackie virus infection, susceptibility of gravid mice to, 21
Crystalline streptococcal proteinase, myocardial necrosis produced by, 495
Culture, tissue, multiplication of psittacosis virus in deficient cells in, 461
Cytochrome oxidase and succinoxidase activities in cells of proximal convolution in nephron, after intraperitoneal injection of egg white, 629
Cytotoxic action and relation to binding of penicillin, in penicillin sensitivity and combining activity of intact bacteria and cell-free extracts, 207

DESOXYRIBONUCLEIC acids, *Haemophilus influenzae* cells susceptible to heritable changes by, 505

Diphenylamine serum reaction in arthritis, 1
Diphtheria toxoid, immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with, 577
Droplet formation, tubular absorption, and disposal of proteins in proteinuria, 589
Droplets, absorption, protein, histochemical characteristics, 605
—, amino acid, histochemical characteristics in nephron, 621
Duct, common bile, effect of ligation on cholesterol synthesis, 43

EGG white, partition of succinoxidase and cytochrome oxidase activities in cells of proximal convolution of nephron after injection of, 629
Electron microscope studies on ultrathin sections of muscle, 201
Electrophoresis, differences between human precipitating and non-precipitating skin-sensitizing diphtheria antitoxin shown by, 577
—, zone, and lysine-ϵ-C^{14} used to define plasma proteins synthesized by isolated perfused liver, 125
Embryo cells, chicken, grown *in vitro*, one-step growth curve of Western equine encephalomyelitis virus on, and analysis of virus yields from single cells, 183
—, chick, influenza virus infection in, studied by use of fluorescent antibody, 419
Encephalomyelitis virus, Western equine, one-step growth curve on chicken embryo cells grown *in vitro* and analysis of virus yields from single cells, 183
Endogenous bacteriemias, time of onset and duration, susceptibility to infection following ionizing radiation, 405
Enzyme solutions, proteolytic, given intravenously to induce necrosis of cardiac and skeletal muscle, 387
Equine encephalomyelitis virus, Western, one-step growth curve on chicken embryo cells grown *in vitro* and analysis of virus yields from single cells, 183
Erythrocytes, quantitative aspects of spontaneous elution of influenza virus from, 251
Extracts, cell-free, and intact bacteria, combining activity, correlation between penicillin sensitivity in binding of penicillin in relation to cytotoxic action, 207

FLUORESCENT antibody used in studies of influenza virus infection in chick embryo, 419

GLOBULINS, gamma, produced by non-hepatic tissues studied with lysine-ϵ-C^{14}, 133
—, gamma, synthesis of all plasma protein fractions by liver with exception of, 125
Glycogen, immunologically specific polysaccharide, 343
Glycosides, *N*-, of benzimidazoles, inhibition of influenza virus multiplication by, 227
Gravid mice, susceptibility to Coxsackie virus infection, 21
Growth hormone, adrenal steroids, and corticotropin, effect on resistance to infections, 89

HAEMOPHILUS *influenzae* cells susceptible to heritable changes by desoxyribonucleic acids, 505
Hamster cheek pouch, staphylococcus infection in, process of localization, 299
Hemagglutination with arthropod-borne viruses, 429
Hepatic, non-, organs, plasma and tissue proteins produced by, studied with lysine-ϵ-C^{14}, 133

Heritable changes by desoxyribonucleic acids, *Haemophilus influenzae* cells susceptible to, 505
Histochemical characteristics of amino acid droplets in nephron, 621
— characteristics of protein absorption droplets, in nephron, 605
Hormone, growth, adrenal steroids, and corticotropin, effect on resistance to infections, 89
Host cell permeability induced by bacteriophage infection in cell wall penetration by viruses, 481
Hypertensin, existence of two forms, 275

IMMUNIZATION with diphtheria toxoid of normal and allergic individuals, immunochemical studies of antitoxin produced in, 577
Immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid, 577
Immunologic types of poliomyelitis virus, segregation and properties of avirulent variants, 551
Immunologically specific polysaccharide, glycogen, 343
Infection, bacteriophage, host cell permeability induced by, cell wall penetration by viruses, 481
—, Coxsackie virus, susceptibility of gravid mice to, 21
— following ionizing radiation, susceptibility, estimation by oral inoculation at different times post irradiation, 411
— following ionizing radiation, susceptibility, time of onset and duration of endogenous bacteriemias, 405
—, influenza virus, in chick embryo studied by use of fluorescent antibody, 419
—, staphylococcus, in hamster cheek pouch, process of localization, 299
Infections, experimental, effect of adrenal steroids, corticotropin, and growth hormone on resistance to, 89
Influenza A and B virus, antigenic particles doubly formed from, and ability of individual particles of X virus to yield two separate strains, 307
— virus, degradation products of virus particle in disruption of, 321
— virus from red cells, quantitative aspects of spontaneous elution of, 251
— virus, growth characteristics, influence of sulfonic acid, 105
— virus infection in chick embryo studied by use of fluorescent antibody, 419
— virus multiplication, inhibition by *N*-glycosides of benzimidazoles, 227
Injection, intraperitoneal, of egg white, partition of succinoxidase and cytochrome oxidase activities in cell of proximal convolution of nephron, 629
—, intravenous, of L-lysine into protein, intracellular partition and incorporation, in protein metabolism in nephron, 637
—, intravenous, of proteolytic enzyme solutions to induce necrosis of cardiac and skeletal muscle, 387
Inoculation, oral, at different times post irradiation, estimation of susceptibility to infection following ionizing radiation by, 411
Ionizing radiation, susceptibility to infection following, estimation by oral inoculation at different times post irradiation, 411
— radiation, susceptibility to infection following, time of onset and duration of endogenous bacteriemias, 405

LIPIDS, serum, and development of cholesterol atherosclerosis in rabbit, effect of cortisone on, 371
Liver cells, osmotic activity, and melting point of liver, 29
—, isolated perfused, synthesis of plasma proteins by, using zone electrophoresis and lysine-ε-C^{14}, 125
Localization process in staphylococcus infection in hamster cheek pouch, 299
Lysine, L-, injected intravenously into protein, intracellular partition and incorporation, in protein metabolism in nephron, 637
Lysine-ε-C^{14}, plasma and tissue proteins produced by non-hepatic organs studied with, 133
— and zone electrophoresis used to define plasma proteins synthesized by isolated perfused liver, 125

MAN, differences between human precipitating and non-precipitating skin-sensitizing diphtheria antitoxin shown by electrophoresis, 577
—, viremia in human poliomyelitis, 355
Metabolism, protein, in nephron, cellular mechanisms of, 589, 605, 621, 629, 637
—, sulfate, aspects, effect of age, 283
Microscope, electron, studies on ultrathin sections of muscle, 201
Mouth inoculation at different times post irradiation, estimation of susceptibility to infection following ionizing radiation by, 411
Muscle, cardiac and skeletal, necrosis induced by proteolytic enzyme solutions given intravenously, 387
—, electron microscope studies on ultrathin sections of, 201
Mycobacterial, anti-, activity of basic peptides, mechanisms, 79
—, anti-, activity of peptide preparation derived from calf thymus, 55
Myocardial necrosis produced by crystalline streptococcal proteinase, 495

NECROSIS, myocardial, produced by crystalline streptococcal proteinase, 495
— of cardiac and skeletal muscle, induced by proteolytic enzyme solutions given intravenously, 387
Nephron, cellular mechanisms of protein metabolism in, 589, 605, 621, 629, 637
Nucleic acids, desoxyribo-, *Haemophilus influenzae* cells susceptible to heritable changes by, 505
Nutrition, under-, effect on cholesterol atherosclerosis, 261

ORGANS, non-hepatic, plasma and tissue proteins produced by, studied with lysine-ε-C^{14}, 133
Osmotic activity of liver cells and melting point of liver, 29
Oxidase, cytochrome, and succinoxidase activities in cells of proximal convolution of nephron after intraperitoneal injection of egg white, 629

PENICILLIN sensitivity and combining activity of intact bacteria and cell-free extracts, binding of penicillin in relation to cytotoxic action, 207
Peptide preparation, basic, derived from calf thymus, chemical studies, 65
— preparation derived from calf thymus, antimycobacterial activity of, 55
Peptides, basic, mechanisms in antimycobacterial activity of, 79
Permeability, host cell, induced by

bacteriophage infection, cell wall penetration by viruses, 481
Phage. *See* Bacteriophage.
Plasma proteins synthesized by isolated perfused liver, using zone electrophoresis and lysine-ε-C^{14}, 125
— and tissue proteins produced by non-hepatic organs studied with lysine-ε-C^{14}, 133
Poliomyelitis, human, viremia in, 355
— virus, segregation and properties of avirulent variants of three immunologic types, 551
— viruses, plaque formation and isolation of pure lines with, 167
Polysaccharide, immunologically specific, glycogen, 343
Precipitating and non-precipitating skin-sensitizing diphtheria antitoxin, human, differences between, shown by electrophoresis, 577
Protein absorption droplets, histochemical characteristics, in nephron, 605
—, intracellular partition and incorporation of intravenously injected L-lysine, in protein metabolism in nephron, 637
— metabolism in nephron, cellular mechanisms, 589, 605, 621, 629, 637
Proteinase, crystalline streptococcal, myocardial necrosis produced by, 495
Proteins, plasma, synthesized by isolated perfused liver, using zone electrophoresis and lysine-ε-C^{14}, 125
—, plasma and tissue, produced by non-hepatic organs studied with lysine-ε-C^{14}, 133
Proteinuria, tubular absorption, droplet formation, and disposal of proteins in, 589
Proteolytic enzyme solutions given intravenously to induce necrosis of cardiac and skeletal muscle, 387
Psittacosis virus, amino acids, vitamins, and other substances related to growth, 451
— virus, multiplication in deficient cells in tissue culture, 461

RADIATION, ionizing, susceptibility to infection following, estimation by oral inoculation at different times post irradiation, 411
—, ionizing, susceptibility to infection following, time of onset and duration of endogenous bacteriemias, 405
Radioactive carbon-ε-lysine, plasma and tissue proteins produced by non-hepatic organs studied with, 133
— carbon-ε-lysine and zone electrophoresis used to define plasma proteins synthesized by isolated perfused liver, 125
Reaction, serum diphenylamine, in arthritis, 1
Resistance to infections, effect of adrenal steroids, corticotropin, and growth hormone on, 89
Ribonucleic acids, desoxy-, *Haemophilus influenzae* cells susceptible to heritable changes by, 505

SALMONELLA *typhosa*, combined actions of chloramphenicol and of bactericidal antibody plus complement on, 155
Sensitivity, penicillin, and combining activity of intact bacteria and cell-free extracts, binding of penicillin in relation to cytotoxic action, 207
Sensitizing diphtheria antitoxin, to skin, human precipitating and non-precipitating, differences shown by electrophoresis, 577
Serum diphenylamine reaction in arthritis, 1
Serum lipids and development of cholesterol atherosclerosis in rabbit, effect of cortisone on, 371

Skeletal and cardiac muscle, necrosis induced by proteolytic enzyme solutions given intravenously, 387
Skin-sensitizing diphtheria antitoxin, differences between human precipitating and non-precipitating shown by electrophoresis, 577
Specificity, immunological, of polysaccharide glycogen, 343
Staphylococcus infection in hamster cheek pouch, process of localization, 299
Steroids, adrenal, corticotropin, and growth hormone, effect on resistance to infections, 89
Streptococcal proteinase, crystalline, myocardial necrosis produced by, 495
Succinoxidase and cytochrome oxidase activities in cells of proximal convolution in nephron, after intraperitoneal injection of egg white, 629
Sulfate metabolism aspects, effect of age, 283
Sulfonic acid, influence of influenza virus on growth characteristics, 105
Susceptibility of gravid mice to Coxsackie virus infection, 21
— of *Haemophilus influenzae* cells to heritable changes by desoxyribonucleic acids, 505
— to infection following ionizing radiation, estimation by oral inoculation at different times post irradiation, 411
— to infection following ionizing radiation, time of onset and duration of endogenous bacteriemias, 405

THYMUS, calf, antimycobacterial activity of peptide preparation derived from, 55
—, calf, chemical studies on basic peptide preparation derived from, 65
Tissue culture, multiplication of psittacosis virus in deficient cells in, 461
— and plasma proteins produced by non-hepatic organs studied with lysine-ϵ-C^{14}, 133
Toxoid, diphtheria, immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with, 577
Tubular absorption, droplet formation, and disposal of proteins in proteinuria, 589

VIREMIA in human poliomyelitis, 355
Virulence, non-, poliomyelitis virus, avirulent variants of three immunologic types, segregation and properties, 551
Virus infection, Coxsackie, susceptibility of gravid mice to, 21
— infection, influenza, studied in chick embryo by use of fluorescent antibody, 419
—, influenza A and B, antigenic particles doubly formed from, and ability of individual particles of X virus to yield two separate strains, 307
—, influenza, degradation products of virus particle in disruption of, 321
—, influenza, from red cells, quantitative aspects of spontaneous elution of, 251
—, influenza, growth characteristics, influence of sulfonic acid, 105
—, influenza, multiplication, inhibition by *N*-glycosides of benzimidazoles, 227
—, poliomyelitis, segregation and properties of avirulent variants of three immunologic types, 551
—, psittacosis, amino acids, vitamins, and other substances related to growth, 451
—, psittacosis, multiplication in deficient cells in tissue culture, 461

Virus infection, Western equine encephalomyelitis, one-step growth curve on chicken embryo cells grown *in vitro* and analysis of virus yields from single cells, 183
— X, individual particles, ability to yield two separate strains, and formation of doubly antigenic particles from influenza A and B virus, 307
Viruses, arthropod-borne, hemagglutination with, 429
—, cell wall penetration by, host cell permeability induced by bacteriophage infection, 481
Viruses, poliomyelitis, plaque formation and isolation of pure lines with, 167
Vitamins, amino acids, and other substances related to growth of psittacosis virus, 451

WESTERN equine encephalomyelitis virus, one-step growth curve on chicken embryo cells grown *in vitro* and analysis of virus yields from single cells, 183